



Date : 06/07/2023 Page 1/9 Revision : N°3 (05/02/2019)

PROTECTGUARD COLOR - 9850-9851-9852-9853

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : PROTECTGUARD COLOR Product code : 9850-9851-9852-9853. UFI : 6N8V-30NJ-N003-UT8P

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Protection and decoration products Concrete

## 1.3. Details of the supplier of the safety data sheet

Registered company name : GUARD INDUSTRIE S.A.S..

Address : 7 Rue Gutenberg.93100.Montreuil.France.

Telephone : 0155861760. Fax : 0148581689.

info@guardindustrie.com

www.guardindustrie.com

## 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

## **SECTION 2 : HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

Mixture for spray application.

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :EUH208EUH210Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.Safety data sheet available on request.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

Composition :			
Identification	Classification (EC) 1272/2008	Note	%
INDEX: 603-052-00-8	GHS07		$1 \le x \% \le 2.5$
CAS: 5131-66-8	Wng		
EC: 225-878-4	Eye Irrit. 2, H319		
	Skin Irrit. 2, H315		
3-BUTOXYPROPAN-2-OL			



#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (05/02/2019) GUARD INDUSTRIE S.A.S.



Date : 06/07/2023 Page 2/9 Revision : N°3 (05/02/2019)

#### PROTECTGUARD COLOR - 9850-9851-9852-9853

CAS: 35435-21-3		$1 \le x \% < 2.$	5
EC: 252-558-3	Aquatic Chronic 3, H412		
TRIETHOXY(2,4,4-TRIMETHYLPENTYL)	SIL		
ANE			
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	0 >= x % < 0.	05
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Eye Dam. 1, H318		
	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute $= 1$		

#### Information on ingredients :

(Full text of H-phrases: see section 16)

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

#### In the event of splashes or contact with eyes :

Wash immediately and thoroughly with water during 15 minutes. Consult a doctor.

## In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

Wash with water and soap. if any sign/symptom develops seek for medical assistance.

#### In the event of swallowing :

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

#### 5.1. Extinguishing media

## Suitable methods of extinction

In the event of a fire, use :

- multipurpose ABC powder

#### Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)





#### PROTECTGUARD COLOR - 9850-9851-9852-9853

## 5.3. Advice for firefighters

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention :

Prevent access by unauthorised personnel.

#### **Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

Maximal storage time : 12 Months

#### Storage

Storage temperature : between 5 and 25°C.

#### Packaging

Always keep in packaging made of an identical material to the original.

Recommended types of packaging :

- Buckets

Suitable packaging materials :

- Polyethylene
- Metal

7.3. Specific end use(s)

#### No data available.

#### SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Derived no effect level (DNEL) or derived minimum effect level (DMEL):

TRIETHOXY(2,4,4-TRIMETHYLPENTYL)SILANE (CAS: 35435-21-3)



# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (05/02/2019) GUARD INDUSTRIE S.A.S.



Date : 06/07/2023 Page 4/9 Revision : N°3 (05/02/2019)

#### PROTECTGUARD COLOR - 9850-9851-9852-9853

Final use: Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

Final use: Exposure method: Potential health effects: DNEL :

3-BUTOXYPROPAN-2-OL (CAS: 5131-66-8) Final use: Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL : Workers. Dermal contact. Long term systemic effects. 12 mg/kg body weight/day

Inhalation. Long term systemic effects. 84 mg of substance/m3

Inhalation. Long term local effects. 84 mg of substance/m3

Man exposed via the environment.

Ingestion. Short term systemic effects. 7.5 mg/kg body weight/day

Ingestion. Long term systemic effects. 1.25 mg/kg body weight/day

Dermal contact. Short term systemic effects. 43 mg/kg body weight/day

Dermal contact. Long term systemic effects. 7 mg/kg body weight/day

Inhalation. Short term systemic effects. 107.2 mg of substance/m3

Inhalation. Short term local effects. 107.2 mg of substance/m3

Inhalation. Long term systemic effects. 17.9 mg of substance/m3

Workers. Dermal contact. Long term systemic effects. 44 mg/kg body weight/day

Inhalation. Long term systemic effects. 270.5 mg of substance/m3



#### SAFETY DATA SHEET (REGULATION (EC) nº 1907/2006 - REACH) Version : N°1 (05/02/2019) GUARD INDUSTRIE S.A.S.



Date: 06/07/2023 Page 5/9 Revision : N°3 (05/02/2019)

#### PROTECTGUARD COLOR - 9850-9851-9852-9853

Final use: Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL:

Exposure method: Potential health effects: DNEL:

Consumers. Ingestion. Long term systemic effects. 8.75 mg/kg body weight/day

Dermal contact. Long term systemic effects. 16 mg/kg body weight/day

Long term systemic effects. 33.8 mg of substance/m3

#### Predicted no effect concentration (PNEC):

TRIETHOXY(2,4,4-TRIMETHYLPENTYL)SILANE (CAS: 35435-21-3) Environmental compartment: Soil. PNEC : 1020 mg/kg

Environmental compartment: PNEC :

3-BUTOXYPROPAN-2-OL (CAS: 5131-66-8) Environmental compartment: PNEC :

Environmental compartment: PNEC :

Environmental compartment: PNEC :

Environmental compartment: PNEC :

Environmental compartment:

Inhalation.

Fresh water.

0.64 mg/l

Sea water. 0.064 mg/l

1 mg/l

5090 mg/kg

509 mg/kg

10 mg/l

10 g/kg

Soil.

0.16 mg/kg

Fresh water.

0.525 mg/l

Sea water. 0.0525 mg/l

5.25 mg/l

Marine sediment.

Intermittent waste water.

Fresh water sediment.

Waste water treatment plant.

Salt water predators (oral).

Intermittent waste water.

Fresh water sediment.

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -





Date : 06/07/2023 Page 6/9 Revision : N°3 (05/02/2019)

#### PROTECTGUARD COLOR - 9850-9851-9852-9853

2.36 mg/kg

PNEC :

Environmental compartment: PNEC :

Environmental compartment: PNEC :

Marine sediment. 0.236 mg/kg

Waste water treatment plant. 10 mg/l

## 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :

- Impervious gloves in accordance with standard EN ISO 374-2

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

In case of long time application or use in a bad ventilated area, use a F3-type mask.

## **SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

<b>General information :</b> Physical state :	Fluid liquid.
Important health, safety and environme	ntal information
pH:	8.50 +/-0.5.
	Slightly basic.
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.





Date : 06/07/2023 Page 7/9 Revision : N°3 (05/02/2019)

#### PROTECTGUARD COLOR - 9850-9851-9852-9853

Vapour pressure (50°C) :	Not relevant.
Density :	> 1
Water solubility :	Soluble.
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.

#### 9.2. Other information

Density can vary depending on the colour.

## SECTION 10 : STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid :

- frost

#### **10.5. Incompatible materials**

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

## SECTION 11 : TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

No data available.

## 11.1.1. Substances

No toxicological data available for the substances.

#### 11.1.2. Mixture

#### Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12 : ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

## 12.1.1. Substances TRIETHOXY(2,4,4-TRIMETHYLPENTYL)SILANE (CAS: 35435-21-3) Fish toxicity : LC50 <= 100 mg/l Duration of exposure : 96 h Crustacean toxicity : EC50 <= 100 mg/l Algae toxicity : ECr50 <= 100 mg/l

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.





Date : 06/07/2023 Page 8/9 Revision : N°3 (05/02/2019)

#### PROTECTGUARD COLOR - 9850-9851-9852-9853

#### 12.2. Persistence and degradability

#### 12.2.1. Substances

TRIETHOXY(2,4,4-TRIMETHYLPENTYL)SILANE (CAS: 35435-21-3) Biodegradability : no degradability data is availabi

no degradability data is available, the substance is considered as not degrading quickly.

#### 12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 1 : Slightly hazardous for water.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

08 02 99 wastes not otherwise specified

08 02 99 wastes not otherwise specified

#### **SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

#### 14.1. UN number

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

-

14.6. Special precautions for user

-





Date : 06/07/2023 Page 9/9 Revision : N°3 (05/02/2019)

#### PROTECTGUARD COLOR - 9850-9851-9852-9853

#### **SECTION 15 : REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Classification and labelling information included in section 2:** 

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/669 (ATP 11)

**Container information:** 

No data available.

**Particular provisions :** 

No data available.

# German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) : WGK 1 : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

#### **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3 :

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms :

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.